



Uniclass	EPIC
L226	C442
CI/SfB	
994	(22.3) X



clean, functional
washroom solutions



17 Europa View
Sheffield Business Park
Sheffield S9 1XH
T: 08701 229945
F: 08701 229951
W: www.tenonwashrooms.co.uk

A product of CPD Distribution Plc
© Copyright and Design right.
Tenon Washrooms is a registered
trademark of CPD Distribution Plc.





An unrivalled range of products that offer a solution to all washroom design briefs and budgets.



clean functional washroom solutions

Offering the very best in washroom design and manufacturing, Tenon Washrooms comprises an extensive range of cubicle systems for any public washroom area.

Quality Design

The choice of systems is comprehensive with designs to suit any environment and budget, from shower and changing rooms to single cubicle solutions. Tenon Washrooms include ingenious features such as full length door and partition channels to retain a high quality, long lasting finish.

All products are manufactured in a BSI Registered ISO9001:2000 accredited manufacturing facility and are supported by the Tenon 5 Year Quality Guarantee, for complete satisfaction and peace of mind.

IPS - The Perfect Washroom Solution

Today's fast paced project environments often demand minimal "down time". To meet the challenge, Tenon Washrooms has introduced IPS, an Integrated Plumbing System.

IPS is factory manufactured as self supporting modules complete with sanitaryware and decorative wall panels. Installation is fast and simple, producing perfect results every time! See page 32 for more details.

Customer Service

Choosing the right system for your project is straightforward. Simply use the product selector opposite to guide you to the most suitable solutions for your project. The product pages contain detailed specifications and options.

Tenon Washrooms specialists are on hand to provide expert advice on product selection and design, from project concept to completion. Alternatively simply provide a sketch or layout drawing to receive a complete project proposal. A full design and installation service is also available.

Tenon Washrooms is a member of the RIBA NBS Plus resource for specifiers, with full product specification data available.

Visit www.tenonwashrooms.co.uk or call 08701 229945 for details of stockists or to contact the Tenon Washrooms team.

NBSPlus



Disability Discrimination Act

All public and workplace washroom facilities must conform to the requirements of The Disability Discrimination Act 1995 and Approved Document M of the Building Regulations, which sets minimum standards for access of a building by all of its occupants, including the disabled. The full Tenon Washrooms range can be supplied to meet the requirements of the legislation, including colour contrasts, door hardware and the design of standard, ambulant disabled and enlarged disabled cubicles.



Product Selector

✓ suitable ✓✓ highly suitable

Application	Modular Pg 4	Ultimate Pg 8			Premier Pg 12	Superfast-Fit Pg 16	Toodle-Loos Pg 20			Budget Pg 24	Trade Pack Pg 28	IPS Pg 32
		President	Director	Executive			Tiny Tots	Godfrey & Miss Molly	Kaleidoscope			
Commercial Offices	✓✓	✓	✓✓	✓✓		✓✓				✓	✓	✓✓
Directors Suites	✓✓	✓✓	✓	✓								✓✓
Retail	✓	✓	✓	✓✓	✓	✓✓				✓	✓	✓
Creches & Nurseries						✓	✓✓	✓✓	✓✓	✓	✓	
Schools	✓		✓	✓	✓	✓✓	✓✓	✓	✓✓	✓	✓	✓
Colleges & Universities	✓		✓✓	✓✓	✓✓	✓✓				✓		✓✓
Healthcare	✓✓		✓✓	✓	✓✓	✓	✓	✓	✓	✓		✓✓
Restaurants	✓✓	✓✓	✓	✓		✓				✓	✓	✓✓
Hotels	✓✓	✓✓	✓	✓	✓							✓✓
Pubs & Clubs	✓		✓✓	✓	✓	✓✓				✓	✓	✓
Banks & Finance	✓✓	✓✓	✓✓									✓✓
Law Courts	✓✓	✓✓	✓	✓								✓✓
Airports & Transport	✓✓		✓✓	✓	✓✓	✓				✓		✓✓
Sports Centres & Clubs	✓		✓	✓	✓✓	✓				✓	✓	✓✓
Leisure Industry	✓	✓	✓	✓	✓✓	✓✓				✓		✓✓
Shower Areas					✓✓							✓
Commercial Washrooms	✓			✓	✓✓	✓						✓✓
Warehouses					✓✓	✓				✓✓	✓	✓
Factories					✓✓	✓✓				✓✓	✓	✓

Explanation of icons used in this catalogue



One-Size-Fits-All

Supplied in one standard size configuration, ready to cut to size on site.



Made to Measure

Individually manufactured to required dimensions. No cutting required on site.



Wet Area Use

Suitable for use in wet or humid environments and can be hosed clean.



Dry Area Use

Suitable only for "dry" areas, eg normal washroom environments.



IPS

Available with Integrated Plumbing System as a standard range option.



Bespoke Colour Service


Available to special order in bespoke colour finishes.

modular

Modular is a premium range of new generation washroom solutions, designed for numerous projects, particularly prestigious areas. Suitable for any dry area application, Modular has a distinctive appearance thanks to an attractive elliptical aluminium pilaster profile combined with wood grain finish panels and doors.



Sofitel Hotel, Gatwick Airport



- five standard luxury wood grain finishes
- distinctive elliptical aluminium pilaster
- high quality high grade doors and panels
- no visible fixings

The result is luxurious contemporary styling which will meet the demands of the most discerning of project design briefs. Modular is highly suited to commercial office, hotel, restaurant and hospitality applications.

All cubicle doors and panels are 25mm thick high grade as standard with a moisture resistant core and high abrasion resistant wood grained melamine facing. The attractive extruded heavy duty aluminium pilaster offers additional strength, plus robust support for door hinges.

Modular is supplied in a one-size-fits-all configuration, allowing it to be tailor fitted on site. The system can be supplied in conjunction with Tenon IPS (Integrated Plumbing System). All components are supplied to complete the installation, including designer stainless steel hardware.

A choice of three systems offers the designer style options to match the mood of the installation.

modular 1

Totally enclosed floor to ceiling cubicles and panelling for executive installations where privacy and luxury appearance are paramount.

modular 2

Floor to standard height cubicles, with panels raised off the floor, for prestigious applications that demand a designer appearance afforded by the floor mounted radiused pilaster.

modular 3

Standard height cubicles, with pedestal mounted pilasters and panels raised off the floor for high class installations where the luxury appearance of wood is desired alongside high grade doors and panels.

turn the page for options & technical information

modular

system options

wc cubicles
vanity units
light pelmets
wall and duct panelling
low level cistern housings
lockers
modesty screens
IPS



colours

doors, partitions & panels					pilasters, headrail & channels	
beech	cherry	mahogany	maple	oak	graphite	grey mist


Notes: Wall Duct Panel long edges finished in graphite or grey mist edging.
Skirting, Spacing and Infill Panels available in wood grain, graphite or grey mist.

options & technical information

materials

doors	High grade, abrasion resistant 25mm melamine faced moisture resistant EN312-5 (V313) chipboard (MFC). Matching 2mm ABS edging. 900 x 1800mm.
partitions	High grade, abrasion resistant 25mm melamine faced moisture resistant EN312-5 (V313) chipboard (MFC). Matching 0.4mm melamine edging. Two part -each panel 900 x 1800mm.
pilasters	Heavy duty, extruded aluminium elliptical profile, textured powder coat paint finish. Brushed stainless steel finish boot (Modular 1 & 2) / pedestal foot (Modular 3).
headrail, wall/door channels	Extruded aluminium, textured powder coat paint finish. Concealed fixings as standard.
duct panels	Medium grade, abrasion resistant 19mm melamine faced moisture resistant EN312-5 (V313) chipboard (MFC). Matching 2mm ABS edging.
hardware	Brushed stainless steel. (Indicator lock, lock keep, toilet roll holder & coat hook). Bullet shaped pedestal foot on Modular 3.
vanity units	Top: Heavy duty, high impact and abrasion resistant 19mm high pressure laminate (HPL) faced, moisture resistant EN312-5(V313) chipboard. Post formed leading edge. 100mm upstand and 200mm downstand as standard. Access panels: As duct panels above.

dimensions (mm)




to specify state

New generation washroom system with floor to ceiling/standard height cubicles manufactured from high grade abrasion resistant 25mm melamine faced chipboard, moisture resistant EN312-5 (V313) core with wood grain finish, heavy duty extruded aluminium pilasters with elliptical profile, finished in graphite/grey mist powder coat paint, full length door hinge and wall channels and supplied with stainless steel hardware, as Tenon Washrooms Modular 1/2/3 range.

ultimate

High style, luxury materials and vibrant colours are combined to create Ultimate, a stunning collection of washrooms for prestigious and everyday applications where visual appeal is paramount. From real wood veneers to washrooms with durable post formed laminate pilasters, Ultimate will not fail to impress.



- Quality wood veneers and stainless steel (President)
- Durable, post formed laminate pilasters (Director)
- Traditional styling, high performance materials
- Natural blend of colour options

The Ultimate range offers a choice of three stunning styles for an individual look, making it highly suitable for hotels, restaurants, hospitality suites, colleges, universities and commercial offices - in fact anywhere requiring a high quality appearance. It is also highly suited for use with IPS.

Each option within the range offers increased headrail height for added privacy. This is augmented by enlarged interior dimensions for President thanks to its made-to-measure construction and exclusive single piece partitions.

Director features traditional yet durable post formed, high pressure laminate pilasters. Director and Executive both benefit from Tenon's one-size-fits-all construction, allowing them to be sized to fit site conditions whilst benefiting from their individual styling.

The Ultimate range is available in three distinct and distinguished style options to suit any application.

president

A blend of luxury real wood veneers, set within stainless steel pilasters, headrail and channels, with antique white partitions to provide a soft, warm ambience. Increased height and interior space offer tailor made privacy and comfort.

director

The very best of traditional design that combines melamine faced doors and partitions with post formed, abuse resistant high pressure laminate pilasters, delivering a softened appearance and long life. Available in standard and bespoke colour options.

executive

Tried and tested durability in a choice of ten natural colours, with distinctive contrasting colour edge styling. Benefits from increased height and competitive one-size-fits-all design. Available in standard and bespoke colour options.

turn the page for options & technical information

ultimate

system options

wc cubicles
vanity units
light pelmets
wall and duct panelling
low level cistern housings
lockers
modesty screens
IPS



Ultimate President - Cherry Veneer

colours - president

doors, partitions & panels				pilasters, headrail & channels
beech	cherry	maple	antique white	polished stainless steel

colours - director & executive

doors, partitions, panels & pilasters									
fresco blue	fresco green	fresco pink	fresco grey	nova argyle	cosmic rose	nova sapphire	nova lilac	nova mousse	cosmic green

Notes: Director headrails/channels have a complementary paint finish. Executive headrails/channels have a contrasting paint finish

options & technical information


materials

doors	President: Heavy grade, 25mm real wood veneered moisture resistant EN312-5 (V313) chipboard. 6mm matching hardwood edge lipping. Lacquered finish. Director/Executive: High grade, abrasion resistant 19mm melamine faced moisture resistant EN312-5 (V313) chipboard (MFC). 2mm ABS edging*. 900 x 1800mm, trim width on site.
partitions	President: Heavy grade, impact and abuse resistant 25mm high pressure laminate faced moisture resistant EN312-5 (V313) chipboard (MFC). Antique white. Matching laminate edging. One part bespoke size. Director/Executive: High grade, abrasion resistant 19mm melamine faced moisture resistant EN312-5 (V313) chipboard (MFC). 0.4mm melamine edging*. Two part - each panel 900 x 1800mm.
pilasters, headrail, wall/door channels	President: Polished stainless steel. Director: High impact and abrasion resistant 19mm high pressure laminate (HPL) faced, moisture resistant EN312-5(V313) chipboard. Post formed vertical edges. Executive: High grade, abrasion resistant 19mm melamine faced moisture resistant EN312-5 (V313) chipboard (MFC). Contrasting square 2mm ABS edging. Director/Executive have extruded aluminium, powder coat paint finish headrail/wall channels*. Concealed fixings as standard.
duct panels	President: Heavy grade, 19mm high pressure laminate faced moisture resistant EN312-5 (V313) chipboard. Director/Executive: High grade, abrasion resistant 19mm melamine faced moisture resistant EN312-5 (V313) chipboard (MFC). Matching 2mm ABS edging.
hardware	President: Polished stainless steel. Director/Executive: Heavy duty stainless steel body with polycarbonate cover (Indicator lock, lock keep, toilet roll holder, coat hook and bullet shaped pedestal foot)
vanity units	Top: Heavy duty, high impact and abrasion resistant 19mm high pressure laminate (HPL) faced, moisture resistant EN312-5(V313) chipboard. Post formed leading edge. Access panels: As duct panels above.

*Note: Headrail, channels and edging are matching on Director style and contrasting on Executive style.

dimensions (mm)

director & executive



to specify state

New generation washroom system with increased height cubicles manufactured from heavy grade 25mm luxury real wood veneered/19mm melamine faced chipboard, moisture resistant EN312-5 (V313) core, with stylish heavy duty polished stainless steel/post formed laminate faced chipboard/melamine faced chipboard pilasters, full length door hinge and wall channels and supplied with stainless steel hardware, as Tenon Washrooms Ultimate President/Director/Executive range.

premier

Professionally engineered to withstand abuse and suitable for wet or humid conditions, the Premier range is the perfect solution where ease of maintenance and long life are primary considerations. Appearance, however is not compromised, with three attractive design options to complement virtually any environment.



Premier Leisure, Christleton High School, Chester



- Stunning contemporary design
- Durable water resistant construction
- Stylish traditional design
- Heavy duty furniture and fixings



The choice of contemporary or traditional appearance makes the Premier range first choice for any project where abuse and wet or humid conditions would normally require a more utilitarian design product. Applications including healthcare, education, leisure centres and camp sites all benefit from Premier's high performance construction.

All Premier range doors, partitions and pilasters are manufactured using tough and durable 13mm solid grade compact laminate. The surface can be easily cleaned using a water hose and is impervious to bacteria and cleaning chemicals, offering long life and ease of maintenance.

Premier is factory custom made for rapid installation on site and can be supplied in conjunction with Tenon IPS (Integrated Plumbing System). Each system is complete with all necessary fixings and heavy duty furniture finished in chrome grey powder coat paint for durability and long life.

Premier is available in a choice of three styles to complement the interior finishes of any installation.

premier plus

Offering a traditional appearance, in a choice of three pastel door colours with neutral grey partitions as standard. An extruded aluminium headrail with concealed fixings lends a stylish appearance and solid construction.

premier leisure

Stunning contemporary styling with robust tubular steel frame in a choice of five vibrant colours as standard and with coordinated finger plates for a distinctive appearance.

premier prestige

Ultimate styling, featuring an attractive elliptical extruded aluminium pilaster combined with an exciting choice of coordinating door and partition colour finishes for a rugged yet exclusive solution.

turn the page for options & technical information

premier

system options

- wc cubicles
- shower cubicles
- changing cubicles
- vanity units
- wall and duct panelling
- low level cistern housings
- lockers
- modesty screens
- IPS



colours - premier plus

doors			pilasters and partitions
fresco blue	fresco green	fresco pink	fresco grey

colours - premier leisure

doors & partitions	support frame and finger plates				
grey	ral 6018	ral 5002	ral 3020	ral 1023	ral 4003

colours - premier prestige


doors										pilasters and partitions
fresco blue	fresco green	fresco pink	fresco grey	nova argyle	cosmic rose	nova sapphire	nova lilac	nova mousse	cosmic green	grey

options & technical information

materials

doors & partitions	Heavy duty, impact, abuse and water resistant 13mm solid grade compact laminate. Edges bevelled and polished, black finish. Edges concealed by full length channels with concealed fixings. Made to measure.
pilasters	Plus: Heavy duty, impact, abuse and water resistant 13mm solid grade compact laminate. Edges bevelled and polished, black finish. Leisure: Tubular steel support and extruded aluminium fixing channels, with powder coat paint chrome grey finish. Heavy duty, impact, abuse and water resistant 13mm solid grade compact laminate. Edges bevelled and polished, black finish. Prestige: Heavy duty, extruded aluminium elliptical profile, powder coat paint chrome grey finish.
headrail	Plus/Prestige: Extruded aluminium channel, powder coat paint chrome grey finish. Leisure: Tubular steel with powder coat paint finish.
wall/door channels	Extruded aluminium, powder coat paint chrome grey finish.
duct panels	Heavy duty, impact, abuse and water resistant 13mm solid grade compact laminate. Edges bevelled and polished, black finish.
hardware	Heavy duty, satin chrome powder coat paint finish. (Indicator lock, lock keep, toilet roll holder, coat hook and support bullet shaped pedestal) Leisure range finger plates coordinating powder coat paint finish.
vanity units	Top: Heavy duty, high impact and abrasion resistant 19mm high pressure laminate (HPL) faced, moisture resistant EN312-5 (V313) chipboard. Post formed leading edge. Base: Heavy duty 13mm solid grade compact laminate. Access panels: As duct panels above.

dimensions (mm) - typical installation



to specify state

WC/shower/changing cubicles manufactured from impact, abuse and water resistant 13mm solid grade compact laminate, suitable for wet and humid areas and environments with extremes of temperature range, resistant to bacteria and cleaning chemicals, in a choice of coordinating colours, with solid grade laminate/vibrant colour tubular steel/elliptical extruded aluminium pilasters, full length door hinge channel and supplied with satin chrome powder paint hardware, as Tenon Washrooms Premier Plus/Leisure/Prestige range.

superfast -fit

Contemporary good looks, quality materials, ease of installation and mix or match colour coordination are combined to create Superfast-Fit. Suitable for any dry area application, Superfast-Fit features Tenon's one-size-fits-all construction, making it the ideal choice for fast track projects where speed of installation is paramount, without compromising on quality.



Barnsley Bowl, Barnsley



- Contemporary styling and colours
- Heavy duty channel fixing system
- One-size-fits-all for rapid construction
- Off the shelf availability



Superfast-Fit offers a new generation in washroom design, with simple 'fit on site' adjustment, unique wall and door channel fixing system and contemporary colour options, making it the number one choice for virtually any dry environment.

Mix or Match Colours

Available in a choice of four fresh and modern colours that can be ordered in any combination to offer complementary or contrasting aesthetic styling that will blend with almost any interior design. Ideal for new build or refurbishment projects.

One-Size-Fits-All

Superfast-Fit washrooms and cubicles are supplied 'off the shelf' as boxed packs and components for self assembly. Adjustment to fit site conditions is fast and easy with any cut edges simply concealed within the unique full length wall and door hinge channels, providing a long life neat finish to all projects.

Because Superfast-Fit is manufactured using colourful, abrasion resistant melamine faced moisture resistant chipboard, fast track projects no longer have to 'make do' with white or magnolia finish. Superfast-Fit is also a durable solution. The pilasters, the most vulnerable area for knocks and scuffs, benefit from an impact resistant high pressure laminate finish.

Consequently, the product is highly suited to the rigours of schools and colleges, factories and pubs, in addition to offices, shops and restaurants. In fact, Superfast-Fit can be used in virtually any dry area application, thanks to its stylish up to the minute design and popular colour finishes. Attractive and functional heavy duty hardware complete this versatile product.

turn the page for options & technical information

superfast-fit

system options

wc cubicles
vanity units
light pelmets
wall and duct panelling
low level cistern housings
modesty screens
IPS



colours

doors, partitions, panels & pilasters			
misty blue	corn yellow	sage green	soft apricot


Notes: Headrails and channels are supplied in complementary paint finishes.

options & technical information

materials

doors	High grade, abrasion resistant 18mm melamine faced moisture resistant EN312-5 (V313) chipboard (MFC). Matching 2mm ABS edging. 900 x 1800mm.
partitions	High grade, abrasion resistant 18mm melamine faced moisture resistant EN312-5 (V313) chipboard (MFC). Matching 2mm ABS edging. Two part - each panel 900 x 1800mm.
pilasters	High impact and abrasion resistant 18mm high pressure laminate (HPL) faced, moisture resistant EN312-5(V313) chipboard. Post formed vertical edges.
headrail, wall/door channels	Extruded aluminium, powder coat paint finish. Concealed fixings as standard.
duct panels	Medium grade, abrasion resistant 18mm melamine faced moisture resistant EN312-5 (V313) chipboard (MFC). Matching 2mm ABS edging.
hardware	Satin anodised aluminium. (Indicator lock, lock keep, toilet roll holder, coat hook and bullet shaped pedestal foot)
vanity units	Top: Heavy duty, high impact and abrasion resistant 18mm high pressure laminate (HPL) faced, moisture resistant EN312-5(V313) chipboard. Post formed leading edge. Access panels: As duct panels above.

dimensions (mm)



to specify state

New generation washroom system with rapid fit, one-size-fits-all construction, manufactured from high grade, abrasion resistant 18mm melamine faced chipboard, moisture resistant EN312-5 (V313) core, impact resistant laminate faced chipboard pilasters, all in a choice of four fresh contemporary colours, with unique heavy duty wall/door fixing channel system and stylish heavy duty satin anodised aluminium hardware, as Tenon Washrooms Superfast-Fit range.

toodle-loos

Stimulating bright colours, fun styling and lovable characters have been ingeniously combined to create Toodle-Loos, a stunning range of washrooms designed especially for children. A visit to the toilet can be a daunting experience for younger children. But not any more thanks to these carefully styled ranges which offer a relaxed, welcoming environment whilst retaining a reassuring privacy.



Mount Carmel RC Infant School, Manchester



- Attractive primary colour finishes
- Non threatening, softly styled doors and panels
- Safe 'non-finger-trap' hinges

Whether for use in crèches, nurseries, schools, play centres or children's hospitals, children's washroom facilities should be inviting, comfortable, functional and retain privacy. Toodle-Loos has been specifically designed to address these key requirements.

In addition to the attractive styling, colour and characters, Toodle-Loos is also practical. Doors and panels are manufactured from easy to clean, abrasion resistant materials. Robust feet provide a solid support, enhanced by a tubular headrail on Kaleidoscope to offer peace of mind when used by more boisterous, older children.

Supplied in convenient one-size-fits-all style packs to meet virtually all sizes and layouts, Toodle-Loos is also available with oversize cubicles for children with disabilities or special needs. For older children, Superfast-Fit and Premier ranges offer attractive colours and more robust construction

Incorporating styles and features specially created for children, Toodle-Loos has options to suit all ages.

Tiny Tots

Stylishly curved self supporting doors and fascias along with reduced height partitions offer a bright and spacious feeling whilst retaining privacy. Tiny Tots has no sharp edges or corners.

Godfrey & Miss Molly

Ideal for crèches and nurseries, these two lovable characters bring a new dimension to Tiny Tots styling, adding fun to encourage the health benefits associated with using the washroom facilities.

Kaleidoscope

For older children and primary schools, Kaleidoscope offers both full and reduced height doors, plus curved partitions that retain privacy. The range also benefits from an attractive tubular headrail for added strength.

turn the page for options & technical information

toodle-loos

options & technical information

system options

wc cubicles
vanity units




colours

doors, partitions & pilasters		
red	blue	yellow

materials

doors	High grade, abrasion resistant 18mm melamine faced moisture resistant EN312-5 (V313) chipboard (MFC). Matching 2mm PVC edging. 900 x 1800mm.
partitions	High grade, abrasion resistant 18mm melamine faced moisture resistant EN312-5 (V313) chipboard (MFC). Matching 2mm PVC edging. Two part - each panel 900 x 1800mm.
pilasters	High grade, abrasion resistant 18mm melamine faced moisture resistant EN312-5 (V313) chipboard (MFC). Matching 2mm PVC edging with square edge finish.
headrail, wall/door channels	Tubular steel headrail & extruded aluminium channels, powder coat paint finish.
hardware	High grade aluminium, powder coat paint finish. (Indicator lock, lock keep, toilet roll holder, coat hook and booty style support leg/bullet shaped pedestal foot).
vanity units	Top: High impact and abrasion resistant 18mm high pressure laminate (HPL) faced, moisture resistant EN312-5(V313) chipboard. Bull nosed leading edge. Planted up stand. Access panels: As partitions above.

dimensions (mm)



to specify state

New generation washroom system designed specifically for children, reduced/full height doors, pilasters and partitions, soft curved styling, one-size-fits-all construction, high grade, abrasion resistant 18mm melamine faced chipboard, moisture resistant EN312-5 (V313) core in a choice of three mix or match primary colours and option of applied character decals, with unique wall/door fixing channel system, non-finger-trap hinges and mix or match powder coat paint finish hardware, as Tenon Washrooms Toodle-Loos range.

budget

The Tenon Budget range is designed for cost conscious projects where classic, simple styling and quality materials are demanded. Budget optimises the one-size-fits-all concept by offering a selection of kit form 'packs' that enable a complete solution to be constructed from standard components. The result is a traditional, quality washroom that literally matches most budgets.



Budget range finished in grey and white



- No extras – All hardware supplied
- Installer friendly one-size-fits-all design
- Clean line, traditional styling

Budget is available as a series of 'off the shelf' packs for speedy delivery. All packs are supplied with all necessary fixings to emphasise the no-nonsense approach of this popular range.

Classical Styling

Traditionally styled partitions, vanity units and wall panelling are available in a choice of three standard, neutral colours that will blend with most interior finishes. Optional non-standard colour doors offer an extra dimension to design. Ideal for refurbishment projects.

One-Size-Fits-All Packs

Budget washrooms and cubicles are supplied as kit form boxed packs and components for self assembly. Adjustment to fit site conditions is fast and easy with any cut edges simply concealed within the unique full length wall and door hinge channels, providing a long life, neat finish to all projects.

Budget is ingeniously supplied as a series of off the shelf packs that allow the specifier and installer to mix & match to rapidly create a washroom solution to meet the needs of demanding budgets, without compromising on quality. Suitable for any dry area, Budget is ideal for factories, warehouses, retail, offices, pubs and schools where a swift installation and competitive prices are paramount.










All site cut edges are concealed within Tenon's unique full length door and wall channels and for a more colourful finish, non-standard red, blue and yellow doors are available to special order. The look is finished by classically designed, long lasting satin grey heavy duty hardware. Standard packs are available for disabled access requirements, underlining Budget's versatility.

turn the page for options & technical information

system options

wc cubicles
vanity units
wall panelling
low level cistern housings



 Pack 2 - Standard Door Pack	 Pack 3 - Partition Pack	 Pack 4 - 1m Vanity Unit Kit (additional end panels - Pack 14)
 Pack 5 - 1m Vanity Top kit	 Pack 6 - 2m Vanity Top kit	 Pack 7 - 3m Vanity Top kit
 Pack 8 - Lower Wall WC Kit	 Pack 9 - Lower Wall Urinal Kit	 Pack 10 - Upper Wall Panel Kit

Notes: Pack 1 is the hardware kit. To see the full kit range visit: www.tenonwashrooms.co.uk


materials

doors	High grade, abrasion resistant 18mm melamine faced moisture resistant EN312-5 (V313) chipboard (MFC). Matching 2mm ABS edging. 900 x 1800mm.
partitions	High grade, abrasion resistant 18mm melamine faced moisture resistant EN312-5 (V313) chipboard (MFC). Matching 2mm ABS edging. Two part - each panel 900 x 1800mm.
pilasters	High grade, abrasion resistant 18mm melamine faced moisture resistant EN312-5 (V313) chipboard (MFC). Matching 2mm ABS edging with square edge finish.
headrail, wall/door channels	Extruded aluminium, satin grey powder coat paint finish.
wall panels	High grade, abrasion resistant 18mm melamine faced moisture resistant EN312-5 (V313) chipboard (MFC). Matching 2mm ABS edging.
hardware	Satin grey powder coat paint finish. (Indicator lock, lock keep, toilet roll holder, coat hook and bullet shaped pedestal foot).
vanity units	Top: High impact and abrasion resistant 18mm high pressure laminate (HPL) faced, moisture resistant EN312-5(V313) chipboard. Bull nosed leading edge. Planted up stand. Access panels: As wall panels above.

colours

doors, partitions, panels & pilasters			non standard colours - doors only		
grey	white	magnolia	red	yellow	blue

dimensions (mm)



to specify state

Classically styled new generation washroom system with rapid fit, kit form, one-size-fits-all construction, high grade, abrasion resistant 18mm melamine faced chipboard, moisture resistant EN312-5 (V313) core to doors, partitions and panels in a choice of three complementary colours, with unique heavy duty wall/door fixing channel system and satin grey powder coat paint finish hardware, as Tenon Washrooms Budget range.

trade pack

Trade Pack is the original low-cost, no-nonsense washroom cubicle solution from Tenon Washrooms. Designed to meet the requirements of a robust, easy to install system demanded by today's contractors, Trade Pack is ideally suited to cost conscious projects, offering an off-the-shelf solution to meet crucial project deadlines.



- Simple one-size-fits-all design
- Durable satin anodised aluminium hardware
- Off-the-shelf kits include fixings



Trade Pack is supplied as 'off the shelf' packs for rapid delivery. All packs are supplied with all necessary fittings and fixings to complete the job quickly and efficiently.

Flexible One-Size-Fits-All Packs

Trade Pack's core range consists of three kit form packs – a door kit, a partition kit and a hardware kit. These can be easily adjusted by the installer on site to accommodate all sizes and layout of washroom, with minimum fuss

No-Nonsense Style

To ensure ex-stock availability, Trade Pack has traditional styling and is only supplied in a neutral white colour, which will complement any interior finish. This simple approach also maintains Trade Pack's highly competitive pricing principles.

Trade Pack offers a no frills, no-nonsense solution for when you need to get the job done. Simple, classical design and a neutral white colour finish ensure that all types of fast track installation can readily benefit from this economically priced range. However, low cost does not mean low quality. Trade Pack uses high grade materials utilised in other Tenon ranges, along with heavy duty, durable ironmongery.

All site cut edges are concealed within Tenon's unique full length door and wall channels offering a long, serviceable life. In addition to the three ex-stock core range kits, Trade Pack also has a selection of vanity unit, wall panel and disabled cubicle kits available on short lead times. The result is an economical washroom solution for factories, warehouses and offices where speed and cost are paramount.


turn the page for options & technical information

trade pack

options & technical information

system options

wc cubicles
vanity units
wall panelling
low level cistern housings



Notes: To see the full kit range visit: www.tenonwashrooms.co.uk




colours

doors, partitions, panels & pilasters
white

materials

doors	High grade, abrasion resistant 18mm melamine faced moisture resistant EN312-5 (V313) chipboard (MFC). Matching 2mm ABS edging. 900 x 1800mm.
partitions	High grade, abrasion resistant 18mm melamine faced moisture resistant EN312-5 (V313) chipboard (MFC). Matching 0.6mm ABS edging. Two part - each panel 900 x 1800mm.
pilasters	High grade, abrasion resistant 18mm melamine faced moisture resistant EN312-5 (V313) chipboard (MFC). Matching 0.6mm ABS edging with square edge finish.
headrail, wall/door channels	Extruded aluminium, white powder coat paint finish.
wall panels	High grade, abrasion resistant 18mm melamine faced moisture resistant EN312-5 (V313) chipboard (MFC). Matching 0.6mm ABS edging.
hardware	Satin anodised aluminium. (Indicator lock, lock keep, toilet roll holder, coat hook and two part pedestal foot)
vanity units	Top: High impact and abrasion resistant 18mm high pressure laminate (HPL) faced, moisture resistant EN312-5(V313) chipboard. Bull nosed leading edge. Planted up stand. Access panels: As wall panels above.

dimensions (mm)



to specify state

Rapid fit, kit form new generation washroom system with one-size-fits-all construction, high grade, abrasion resistant 18mm melamine faced chipboard, moisture resistant EN312-5 (V313) core to doors, partitions and panels in neutral white finish, with unique heavy duty wall/door fixing channel system and satin anodised aluminium hardware, as Tenon Washrooms Trade Pack range.

integrated plumbing system

Fast, simple and cost effective, Tenon's Integrated Plumbing System offers a complete solution for projects where concealed plumbing and services are required, but where speed and quality of installation are vital. IPS is supplied as pre-plumbed factory manufactured modules, ready to install and connect.



IPS combined with Modular range



- Up to 20% cost saving compared with traditional methods
- Easy to specify and install
- Simple 5 step installation
- Robust, self supporting, ready to fit modules

Tenon's Integrated Plumbing System (IPS) delivers an ingenious yet simple alternative to traditional, often time consuming methods of creating an accessible, concealed services solution.

The perfect washroom solution!

Factory assembled modules include a self supporting frame, plumbing, sanitaryware, supply & soil connections and all fixings – ready to connect to site water supplies and services.

Install and connect!

On site, the modules are lightweight and easy to handle making them easy to install. A qualified plumber can then simply make the final connection of the water supply and soil pipework to the pre-plumbed cistern and sanitaryware – job complete!

High quality design and manufacturing

Tenon IPS is produced in a BSI Registered ISO9001:2000 accredited manufacturing facility, to ensure the highest standards every time.

Traditional methods of installing duct panelling and concealed services can often be difficult, with the coordination of plumbers, joiners and fit-out teams proving to be time consuming. Frames and panels face a high risk of damage as they are cut on site and then subjected to removal and refitting during the different stages of installation.

Tenon IPS eliminates all of these potential problems, offering a purpose made, professional solution that is fitted by trained washroom installers and commissioned by qualified plumbing contractors.

The result is a fast and efficient installation with plumber and washroom installer working together to produce an attractive, streamline and easy access system – the perfect washroom solution!

turn the page for options & technical information

integrated plumbing system

Install & Connect Modules

The concept of pre-plumbed modules is not new, but the way that it is achieved by Tenon Washrooms is revolutionary. Traditional pre-plumbed methods have a number of associated drawbacks such as accessing a site with heavy, cumbersome and often fragile units; sanitaryware that is exposed to damage in transit; and exposure to other trades on site as panels are removed to complete the installation and plumbing.

Tenon IPS re-defines the standard for easy to specify, simple to install pre-plumbed systems thanks to a number of ingenious design features and attention to detail.

Robust, self supporting modules

Tenon IPS is a self supporting module manufactured from strong 16 gauge galvanised steel – not just a flimsy frame. It is fully adjustable for height, plumb and level, effectively creating a pre-plumbed duct wall.

Complete and ready to install

The modules are produced to specification, including plumbing, sanitaryware, water & soil connections and then function tested. Decorative access panels are fitted already machined, ready to receive sanitaryware.

Protective packaging

Each module is tested, numbered and vulnerable sanitaryware removed and boxed for protection. All decorative access panels are removed, numbered and packed to prevent damage.

Easy to handle on site

On site, the modules are lightweight and easy to handle, ideal for transfer into often limited size washroom facilities. Vulnerable parts and sanitaryware remain protected until required, eliminating the risk of damage.


Easy 5 step installation

Installation of Tenon IPS modules is achieved in five easy stages, which delivers a rapid and efficient completion to the project. Sanitaryware is repositioned and fixed, water and soil services coupled up and decorative access panels refitted to complete the installation.



Installation in Five Easy Stages

Stage 1



Stage 1

Using the site preparation drawings provided by Tenon, the plumber installs first fix water supply using flexible, isolating pipework, plus the soil pipework. Any other concealed services are also fitted at this stage. The washroom installer fixes IPS floor and wall tracks into position.

Stage 2



Stage 2

The IPS frames, with cisterns pre-fitted where appropriate, are located into the floor and wall tracks by the washroom installer, centred on the soil pipework. Frames are adjusted for height, plumb and level then securely fixed to tracks.

Stage 3



Stage 3

Decorative frame infill spacer panels, along with the skirting and the ceiling scribe profiles are then fitted back into position.

Stage 4



Stage 4

The lower decorative access panels and sanitaryware are refitted by the washroom installer and coupled to the water supply and soil pipework. The plumber tests the system for leaks and completes any service work.

Stage 5



Stage 5

The installation fully tested, the washroom installer fits the remainder of the decorative access panels and applies silicon joint sealant where necessary. Cubicles can now be fixed into position as required.

Availability

Tenon IPS can be specified as an option with the following Tenon Washroom Systems:

Modular • Ultimate • Premier • Superfast-Fit

turn the page for IPS Module Range

integrated plumbing system

range & technical information



Module 1 – Back to Wall WC

- Standard IPS steel frame and panel set
- Olympus white back to wall pan
- Olympus/Pressalit white seat and lid
- Pneumatic dual flush cistern and push button set
- Pan to soil connector
- Flexi cold water connector with shut off valve
- All necessary pipes, fittings and fixtures



Module 2 – Wall Hung WC

- Standard IPS steel frame and panel set
- Olympus Rema white wall hung pan
- Olympus Rema white seat and lid
- Pneumatic dual flush cistern and push button set
- Pan to soil connector
- Flexi cold water connector with shut off valve
- All necessary pipes, fittings and fixtures
- Load tested in excess of 200Kg



Module 3 – Urinal: Exposed Trap

- Standard IPS steel frame and panel set
- Olympus white urinal bowl
- Chrome plated urinal spreader
- Chrome plated 40mm bottle trap
- 4.5 litre auto cistern (shared)
- All necessary pipes, fittings and fixtures



Module 4 – Basin: Exposed Trap

- Standard IPS steel frame and panel set
- Olympus white 520mm basin
- Chrome plated 32mm bottle trap
- Duo deluxe single lever chrome plated monoblock mixer tap
- Flexi hot & cold water connector with shut off valve
- All necessary pipes, fittings and fixtures



Module 5 – Basin: Concealed Trap

- Standard IPS steel frame and panel set
- Olympus white 520mm concealed trap basin
- White plastic 32mm bottle trap
- Wall mounted chrome plated mono block mixer tap with handle
- Flexi hot & cold water connector with shut off valve
- All necessary pipes, fittings and fixtures



Module 6 Urinal: Concealed Trap

- Standard IPS steel frame and panel set
- Olympus white concealed trap urinal bowl
- Chrome plated urinal spreader
- White plastic 40mm bottle shallow seal bath trap
- 4.5 litre auto cistern (shared)
- All necessary pipes, fittings and fixtures

materials

frames	Formed 16 gauge galvanised sheet steel. Standard size – H2245mm, W688mm. Other module sizes available to order. Floor track to be fitted to finished floor surface. Adjustment for level is ± 5mm.
panels	To match cubicle system fitted with IPS. See cubicle technical specification.
sanitaryware	Fitted as standard with N&C Olympus range, white finish. IPS can be specified and fitted with other sanitaryware to meet specific requirements.
brassware	Fitted as standard with high quality, chrome plated brassware. IPS can be specified with other brassware to meet specific requirements.
water management	Supplied as standard with dual flush water management system. Other configurations, including automatic sensor options are available.

Module 7 – Plain Wall Panel

- Standard IPS steel frame and panel set

Half Height Modules

- Available for all 7 modules
- Standard height 1145mm (1225mm O/A)

to specify state

New generation washroom integrated plumbing system, comprising self supporting modular frame system manufactured from 16 gauge formed galvanised sheet steel, fully adjustable for height, plumb and level and fitted to floor and wall track system. Modules supplied with factory machined decorative panels, sanitaryware, cistern, brassware, flexi water connectors with shut off valves and all necessary pipes, fittings and fixtures to facilitate rapid installation, as Tenon Washrooms IPS.